

Lipid-adjusted concentrations (ng/g lipid) of [polychlorinated biphenyls \(PCBs\)](#) in serum samples collected from 77 pregnant women in 2010 - 2011 for the [Maternal and Infant Environmental Exposure Project \(MIEEP\)](#)

PCB ^{a, b}	Geometric Mean (95% Confidence Interval)	Selected Percentiles				Limit of Detection (LOD) range ^c
		25 th	50 th	75 th	90 th	
PCB 66	*	<LOD	<LOD	<LOD	<LOD	0.63 – 1.8
PCB 74	*	<LOD	<LOD	<LOD	1.1	0.56 – 1.6
PCB 99	*	<LOD	<LOD	<LOD	2.23	0.91 – 2.6
PCB 101	*	<LOD	<LOD	<LOD	2.63	1.06 – 3.04
PCB 105	*	<LOD	<LOD	<LOD	<LOD	0.64 – 1.8
PCB 118	*	<LOD	<LOD	2.02	2.97	0.89 – 2.6
PCB 138	1.94 (1.69 – 2.22)	1.29	1.90	2.63	4.15	0.40 – 1.2
PCB 153	2.98 (2.57 – 3.46)	1.95	3.02	4.29	6.59	0.69 – 2.0
PCB 156	*	<LOD	<LOD	<LOD	0.89	0.33 – 0.94
PCB 170	*	<LOD	0.65	0.92	1.7	0.33 – 0.94
PCB 180	1.97 (1.68 – 2.31)	1.27	1.79	2.90	4.91	0.44 – 1.3
PCB 183	*	<LOD	<LOD	<LOD	<LOD	0.83 – 2.4
PCB 187	*	<LOD	<LOD	1.2	1.7	0.58 – 1.6
PCB 194	*	<LOD	<LOD	<LOD	1.0	0.50 – 1.4
PCB 203	*	<LOD	<LOD	0.88	1.4	0.44 – 1.3

- a. See page two for [full names of PCBs](#).
- b. See page three for [explanation of terms](#).
- c. LOD range is reported for lipid-adjusted values.

* Geometric mean was not calculated because the chemical was found in less than 65% of the study group.

Abbreviations, full chemical names, and Chemical Abstracts Service Registry Numbers (CASRN^s) of [polychlorinated biphenyls \(PCBs\)](#)

Abbreviation	Full Name	CASRN ^a
PCB 66	2,3',4,4'-Tetrachlorobiphenyl	32598-10-0
PCB 74	2,4,4',5-Tetrachlorobiphenyl	32690-93-0
PCB 99	2,2',4,4',5-Pentachlorobiphenyl	38380-01-7
PCB 101	2,2',4,5,5'-Pentachlorobiphenyl	37680-73-2
PCB 105	2,3,3',4,4'-Pentachlorobiphenyl	32598-14-4
PCB 118	2,3',4,4',5-Pentachlorobiphenyl	31508-00-6
PCB 138	2,2',3,4,4',5'-Hexachlorobiphenyl	35065-28-2
PCB 153	2,2',4,4',5,5'-Hexachlorobiphenyl	35065-27-1
PCB 156	2,3,3',4,4',5-Hexachlorobiphenyl	38380-08-4
PCB 170	2,2',3,3',4,4',5-Heptachlorobiphenyl	35065-30-6
PCB 180	2,2',3,4,4',5,5'-Heptachlorobiphenyl	35065-29-3
PCB 183	2,2',3,4,4',5',6-Heptachlorobiphenyl	52663-69-1
PCB 187	2,2',3,4',5,5',6-Heptachlorobiphenyl	52663-68-0
PCB 194	2,2',3,3',4,4',5,5'-Octachlorobiphenyl	35694-08-7
PCB 203	2,2',3,4,4',5,5',6-Octachlorobiphenyl	52663-76-0

a. See page three for [explanation of CASRN](#).

Explanation of Terms

Lipid-adjusted concentrations	Some chemicals measured in an individual's blood are affected by his or her levels of cholesterol and related substances (known collectively as lipids). A lipid-adjusted concentration takes this effect into account and is reported as, for example, nanograms per gram of blood lipid (ng/g).
ng/g lipid	Nanograms of the chemical per gram of blood lipid.
Geometric mean	The geometric mean is an estimated middle value of a set of numbers. This is different than the average, also called the "arithmetic mean." A geometric mean is sometimes calculated when the set of numbers contains some extreme values. For example, the geometric mean of the set of numbers "1, 2, 2, 3, 4, 5, 5, 6, 10, 100" is calculated by <i>multiplying</i> all ten numbers together and then <i>raising the product to the 1/10th power</i> , giving 4.8. To compare, the arithmetic mean is calculated by <i>adding</i> all ten numbers and <i>dividing by 10</i> , giving 14.
95% confidence interval	A <i>sample</i> is a subset of a larger <i>population</i> . A confidence interval for a statistical measure is a range of values estimated from <i>sample</i> data. This interval is likely to include the true value of the statistical measure, such as a geometric mean, for the larger <i>population</i> . A 95% confidence interval for a statistical measure implies that we are 95% confident that the range includes the true <i>population</i> value for this measure.
Percentiles	Percentiles are best explained by an example: if the 75 th percentile is 1.5 µg/L, this means that 75% of participants had levels less than or equal to 1.5 µg/L.
Limit of detection (LOD)	The LOD is the lowest level of a chemical that the laboratory can measure in blood or urine.
Limit of detection (LOD) range (for lipid-adjusted levels)	For lipid-adjusted chemicals, there is a range of LODs rather than a single value. This is because the laboratory LOD is divided by each participant's blood lipid level. Since the participants' blood lipid levels differ from one another, these calculations produce a range of LODs.
Below the limit of detection (<LOD)	Below the LOD means that the laboratory could not detect the chemical. This may have been because the chemical was not present at all or because it was present at such a low level that the laboratory could not measure it.
CASRN - Chemical Abstract Services Registry Number	The CASRN is a unique identification number assigned to individual chemicals by the Chemical Abstract Services division of the American Chemical Society.